9D-DW-19893 PATENT

## IN THE CLAIMS:

1. (currently amended) An escutcheon for an appliance door assembly, said escutcheon comprising:

a front edge and a rear edge horizontally spaced from said front edge, said front and rear edges vertically depending from an escutcheon upper surface;

a control panel mounting surface comprising a lower edge, <u>said control panel mounting</u> <u>surface extending upwardly and inwardly from said lower edge and between said front and rear edges;</u> and

a plurality of formations depending from said lower edge and defining a retaining slot.

- 2. (original) An escutcheon in accordance with Claim 1 wherein said formations comprise panel positioning ribs.
- 3. (withdrawn) An escutcheon in accordance with Claim 2 wherein the door assembly includes an outer panel with a curved outer surface, said ribs arranged beneath said lower edge to approximately match the curvature of the outer panel.
- 4. (currently amended) An escutcheon in accordance with Claim 2 wherein said ribs comprise a guide surface extending at an <u>acute</u> angle with said lower edge.
- 5. (original) An escutcheon in accordance with Claim 4, said ribs further comprising a panel engagement portion extending from said guide surface.
- 6. (withdrawn) An escutcheon in accordance with Claim 1 further comprising a curved front face extending beneath said lower edge.

9D-DW-19893 PATENT

- 7. (currently amended) An escutcheon for a dishwasher door assembly, said escutcheon comprising a lower edge and a plurality of formations depending therefrom, each formation comprising an angled a guide surface formed at an acute angle with said lower edge, said guide surface defining a retaining slot.
- 8. (original) An escutcheon in accordance with Claim 7 further comprising a lip, said slot defined by said guide surface and said lip.
- 9. (previously presented) An escutcheon in accordance with Claim 8 further comprising a panel engagement portion extending from said guide surface, said panel engagement portion extending substantially parallel to said lip.
- 10. (withdrawn) An escutcheon in accordance with Claim 7 wherein said formations are located along a curved path.
- 11. (withdrawn) An escutcheon in accordance with Claim 10 further comprising a control panel mounting surface, and a curved front face extending between said control panel mounting surface.
  - 12. (withdrawn) An appliance door assembly comprising:

an outer door panel comprising an edge and an outer surface; and

an escutcheon attached to said edge, said escutcheon comprising a plurality of formations defining a retaining slot, said formations locating said outer surface within said slot when said edge is received in said slot.

13. (withdrawn) A door assembly in accordance with Claim 12, said formations comprising a panel engagement portion and a guide surface extending at an angle from said panel engagement portion.

9D-DW-19893 PATENT

- 14. (withdrawn) A door assembly in accordance with Claim 13 wherein said panel outer surface is curved, said formations depending from said escutcheon in a curved arrangement.
- 15. (withdrawn) A door assembly in accordance with Claim 12, said escutcheon comprising a lip defining said retaining slot, said panel engagement portion extending substantially parallel to said lip.
- 16. (withdrawn) A door assembly in accordance with Claim 12, said escutcheon comprising a lower edge, said lower edge substantially flush with said panel outer surface when said edge is received in said slot.
- 17. (withdrawn) A door assembly in accordance with Claim 16 wherein said panel outer surface is curved.
  - 18. (withdrawn) A dishwasher door assembly comprising:

an outer door panel comprising an edge and a curved outer surface; and

an escutcheon attached to said edge, said escutcheon comprising a plurality of formations defining a retaining slot, each said formation comprising a panel engagement portion, said panel engagement portion positioning said edge within said slot to that said panel outer surface is substantially flush with an outer surface of said escutcheon.

- 19. (withdrawn) A door assembly in accordance with Claim 18, each said formation further comprising an angled guide surface extending from said panel engagement portion.
- 20. (withdrawn) A door assembly in accordance with Claim 18 wherein said outer surface of said escutcheon is curved.